Corolodendron &c. Anguis &c.

ANGUIS MINOR FUSCUS MACULATUS.

The little brown Bead Snake.

THESE are always ſmall, ſeldom appear above Ground, but are dug up and found twiſting about the Roots of Shrubs and other Plants. All the Back and upper Part of the Body, have tranſverſe Spots of brown and white, ſo diſpoſed, as to make ſome Reſemblance of a String of Beads, which ſeems to have given its *Engliſh* Name.

It is an harmleſs Snake.

Petit Serpent brun au Chapelet.

CES Serpens ſont toujours petits; on les voit rarement ſur la terre, mais on les trouve enfouïs ſous terre, & entortillés autour des racines des arbriſſeaux & des autres plantes: Tout leur dos & le deſſus de leur corps eſt marqué en travers, par des taches brunes & blanches, diſpoſées de façon, qu'elles reſſemblent à des grains de chapelet enfilés, ce qui ſemble leur avoir donné leur nom en Anglois, *Serpent au Chapelet.*

Ce Serpent n'eſt point dangereux.

Corallodendron humile, ſpica florum longiſſima coccinea, radice craſſiſſimo.

THIS Shrub riſes from the Ground with many ſtraight, taper, pithy Stalks, to the Height of five or ſix Feet; the upper Part of which, for about twenty Inches, are thick ſet with papilionaceous Scarlet Flowers, with yellow *Stamina*: In *May* the Flowers begin to blow at the Bottom, producing ſucceſſively its beautiful Bloſſoms to the End of the Stalk; the Flowers are ſet two and three together, on ſhort Foot-ſtalks: In *Auguſt* the Fruit is ripe, conſiſting of Pods, in Shape and Size reſembling Kidney-Beans, containing alſo ſuch like Seeds, but of a bright Scarlet Colour. In Winter the whole Plant dies to the Ground, leaving as a Monument of fading Glory its withered Stalks, which remain ſtanding the whole Winter, and are towards their Bottoms as big as the largeſt walking Cane. The Leaves conſiſt of three triangular Lobes, growing moſtly near the Ground and lower Parts of the Plant. The Root of this Plant reſembles that of Briony, being large at Top, running down into the Earth four or five Feet, white within, and covered with a brown Rind; ſome of them ſo large, that they weigh upwards of twenty Pounds.

CES arbriſſeaux s'élèvent de la terre, à la hauteur de cinq ou ſix pieds, par pluſieurs tiges droites, qui vont en diminuant, menuës & moëlleuſes; le haut des tiges de la longueur d'environ vingt pouces, eſt couvert de fleurs légumineuſes, d'un rouge écarlate, avec des étamines jaunes. Au mois de Mai *les fleurs commencent par le bas à s'épanoüir, & continuent ſucceſſivement juſqu'à la pointe de la tige: Ces fleurs ſont attachées deux ou trois enſemble à des queuës fort courtes; en* Août *le fruit eſt meur, il conſiſte en des coſſets, ſemblables par leur grandeur à celles des Fèves d'haricot. Elles contiennent auſſi des fèves ſemblables, mais d'un écarlate très vif. Aux approches de l'hiver toute la plante meurt, à la reſerve de la racine, laiſſant comme un monument de ſa gloire paſſagère, ſes tiges ſeches qui reſtent ſur pied tout l'hiver; elles ſont auſſi groſſes vers le bas, qu'une très groſſe canne; les feüilles conſiſtent en trois lobes triangulaires, qui croiſſent ordinairement près de la terre, & aux parties les plus baſſes de la plante. Sa racine reſſemble à celle de la Bryone, étant large par le haut, & s'enfonçant dans la terre à quatre ou cinq pieds de profondeur; elle eſt blanche en dedans, & couverte d'une écorce brune. Il s'en trouve de ſi groſſes, qu'elles pèſent plus de vingt livres.*